



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES
OF THE UNITED STATES—UNTABULATED

CALIFORNIA—*Sacramento*.—Month of May, 1908. Estimated population, 50,000. Total number of deaths, 56, including diphtheria 1, enteric fever 2, scarlet fever 1, and 7 from tuberculosis. Cases: Diphtheria 8, enteric fever 2, smallpox 3, and scarlet fever 10.

CONNECTICUT—*Stamford*.—Month of June, 1908. Estimated population, 22,000. Number of deaths not reported. Cases: Diphtheria 1, scarlet fever 3, enteric fever 1, measles 13, and whooping cough 1.

FLORIDA.—Reports from the State board of health for the week ended July 4, 1908, show as follows: Enteric fever—*Jacksonville*, 3 cases; *South Jacksonville*, *Daytona*, and *Tallahassee*, each 1 case. Diphtheria—*Tampa*, 1 case. Tuberculosis—*Jacksonville*, 4 cases; *White Springs*, *Plant City*, and *Bakeland*, each 1 case.

Pensacola.—Month of June, 1908. Estimated population, 22,256. Total number of deaths, 35, including enteric fever 1 and 2 from tuberculosis. Cases of contagious diseases not reported.

ILLINOIS—*Alton*.—Month of June, 1908. Estimated population, 22,000. Total number of deaths, 14, including 1 from tuberculosis. Case: Diphtheria 1.

Jacksonville.—Month of June, 1908. Total number of deaths, 26. Cases: Smallpox, 10.

Quincy.—Month of June, 1908. Estimated population, 43,000. Total number of deaths, 39, including 4 from tuberculosis. Cases: Diphtheria 2 and enteric fever 2.

INDIANA—*Muncie*.—Month ended July 4, 1908. Estimated population, 34,036. Total number of deaths, 21, including scarlet fever 1 and 2 from tuberculosis. Cases: Diphtheria 4, enteric fever 4, scarlet fever 12, tuberculosis 1, measles 2, and whooping cough 6.

IOWA—*Cedar Rapids*.—Month of June, 1908. Estimated population, 30,000. Total number of deaths, 30, including scarlet fever 1, whooping cough 1, and 5 from tuberculosis. Cases: Scarlet fever 2, enteric fever 1, and smallpox 4.

KANSAS.—Month of May, 1908. Reports to the State board of health show as follows: Diphtheria, 43 cases, 5 deaths; enteric fever, 51 cases, 9 deaths; measles, 844 cases, no deaths; scarlet fever, 154 cases, 4 deaths; smallpox, 446 cases, 2 deaths; tuberculosis, 80 cases, 52 deaths.

MASSACHUSETTS.—Reports from the State board of health for the month of May, 1908, show as follows: Week ended May 2, 1908. Forty-seven cities and towns having an aggregate estimated population of 2,318,465, report 809 deaths, including diphtheria 8, enteric fever 26, measles 5, and 77 from phthisis pulmonalis. Cases: Diphtheria 135, enteric fever 82, measles 859, scarlet fever 183, whooping cough 5, and tuberculosis 165.

Week ended May 9, 1908. Number of localities reporting, 46. Estimated population, 2,306,835. Total number of deaths, 722; diphtheria 9, enteric fever 15, measles 12, and phthisis pulmonalis 50. Cases: Diphtheria 201, enteric fever 63, measles 984, scarlet fever 187, whooping cough 17, and tuberculosis 142.

Week ended May 16, 1908. Number of localities reporting, 46. Estimated population, 2,291,297. Total number of deaths, 747; diphtheria 9, enteric fever 12, measles 10, and phthisis pulmonalis 70. Cases: Diphtheria 163, enteric fever 69, measles 928, scarlet fever 184, whooping cough 13, and tuberculosis 118.

Week ended May 23, 1908. Number of localities reporting, 46. Estimated population, 2,306,835. Total number of deaths, 713; diphtheria 8, enteric fever 12, measles 14, phthisis pulmonalis 64. Cases: Diphtheria 162, enteric fever 71, measles 1,025, scarlet fever 174, whooping cough 19, and tuberculosis 125.

Week ended May 30, 1908. Number of localities reporting, 43. Estimated population, 2,239,192. Total number of deaths, 690; diphtheria 6, enteric fever 14, measles 21, phthisis pulmonalis 60. Cases: Diphtheria 125, enteric fever 61, measles 724, scarlet fever 152, whooping cough 20, smallpox 2, and tuberculosis 105.

MINNESOTA—*Stillwater*.—Month of June, 1908. Census population, 12,318. Total number of deaths, 10, including 1 from tuberculosis. Cases: Tuberculosis 1.

MONTANA.—Month of May, 1908. Estimated population, 280,000. Reports to the State board of health show as follows: Total number of deaths, 302, including diphtheria 14, enteric fever 2, scarlet fever 7, whooping cough 3, and 22 from tuberculosis. Cases: Diphtheria 84, enteric fever 5, measles 72, scarlet fever 119, and smallpox 69.

Anaconda.—Month of May, 1908. Estimated population, 12,267. Total number of deaths, 15, including 1 from tuberculosis. Cases: Scarlet fever 2.

Billings.—Month of May, 1908. Estimated population, 12,000. Total number of deaths, 12. Cases: Diphtheria 6, scarlet fever 5, enteric fever 5, and measles 20.

Bozeman.—Month of May, 1908. Estimated population, 4,000. Total number of deaths, 4. Cases: Scarlet fever 1 and smallpox 1.

Great Falls.—Month of May, 1908. Estimated population, 16,000. Total number of deaths, 21, including 2 from tuberculosis. Cases: Diphtheria 2 and smallpox 3.

Helena.—Month of May, 1908. Estimated population, 16,770. Total number of deaths, 9, including diphtheria 1 and 1 from tuberculosis. Cases: Measles 1, scarlet fever 2, diphtheria 4, and smallpox, 2.

Livingston.—Month of May, 1908. Estimated population, 3,500. Total number of deaths, 6, including 1 from scarlet fever.

Missoula.—Month of May, 1908. Estimated population, 5,000; Total number of deaths, 15, including diphtheria 1 and 1 from tuberculosis. Cases: Scarlet fever 4, measles 11, and smallpox 1.

NEW JERSEY.—*Morristown*.—Month of June, 1908. Estimated population, 13,000. Total number of deaths, 26, including diphtheria 1, enteric fever 1, scarlet fever 1, and 1 from tuberculosis. Cases: Tuberculosis 2, measles 3, diphtheria 2, enteric fever 4, and scarlet fever 3.

NEW YORK.—*Buffalo*.—Month of June, 1908. Estimated population, 410,000. Total number of deaths, 442, including diphtheria 6, measles 6, scarlet fever 4, enteric fever 3, whooping cough 6, and 51 from tuberculosis. Cases: Diphtheria 30, enteric fever 30, measles 134, scarlet fever 154, whooping cough 67, and tuberculosis 71.

Rome.—Month of June, 1908. Estimated population, 18,500. Total number of deaths not reported. One death from enteric fever. Cases: Tuberculosis 8, scarlet fever 4, diphtheria 1, and measles 4.

NORTH CAROLINA.—Month of May, 1908. Estimated population, 1,893,810. Reports of State board of health from 80 counties show as follows: Measles in 31 counties, whooping cough in 30 counties, scarlet fever in 13 counties, diphtheria in 10 counties, enteric fever in 46 counties, malarial fever in 6 counties, and smallpox in 8 counties, viz: Anson, 30; Cabarrus, 10; Chowan, 2; Johnston, several; New Hanover, 2; Orange 1; Richmond, 1; and Rowan, 1.

Reports for the month from 23 towns having an aggregate population of 246,100—white, 151,550; colored, 94,550—show a total of 369 deaths—white, 169; colored 200—including diphtheria 1, enteric fever 6, whooping cough 5, measles 2, and 52 from phthisis pulmonalis.

OHIO.—*Zanesville*.—Month of June, 1908. Estimated population, 30,000. Total number of deaths, 30, including enteric fever 1, diphtheria 1, and 3 from tuberculosis. Cases: Enteric fever 17, scarlet fever 3, measles 3, and diphtheria 2.

PENNSYLVANIA.—*Dimmore*.—Month of June, 1908. Estimated population, 17,500. Total number of deaths, 20, including 1 from tuberculosis. Cases: Tuberculosis 1, diphtheria 2, and measles 8.

South Bethlehem.—Month of June, 1908. Estimated population, 18,000. Total number of deaths, 19, including 1 from tuberculosis. Cases: Measles 6, enteric fever 1, and diphtheria 1.

VIRGINIA.—*Newport News*.—Month of June, 1908. Estimated population, 28,749. Total number of deaths reported, 33, including 5 from tuberculosis.

WASHINGTON.—Reports to the State board of health for the month of May, 1908, show as follows: Total number of deaths, 858, including diphtheria 15, enteric fever 9, measles 4, scarlet fever 4, whooping cough 3, smallpox 1, and 99 from tuberculosis.